

according to 1907/2006/EC, Article 31

Printing date 09.02.2023

Version number 3 (replaces version 2)

Revision: 22.11.2021

SECTION 1: Identification of the substance/mixture and of the company/ undertaking **1.1 Product identifier** Trade name MARISEAL 300 Component B Safety data sheet no.: XXP016843-b CAS Number: 9016-87-9 EC number: 618-498-9 1.2 Relevant identified uses of the substance or mixture and uses advised against The product is intended for industrial or professional use. Application of the substance / the mixture Coating material 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Manufacturer/Supplier: MARIS POLYMERS S.M.S.A. Industrial Area of Inofita, 32 011 Inofita, Greece Tel. : +30 22620 32918-9 e-mail:marispolymers@saint-gobain.com Distributor: Saint-Gobain Construction Products Polska Sp. z o.o. ul. Okrężna 16, 44-100 Gliwice Phone: +48 41 35 69 317 (Mon-Fri 9.00-16.00) e-mail: SDS.pl@saint-gobain.com 1.4 Emergency telephone number: 112 (emergency number), 999 (ambulance), 998 (fire department). **SECTION 2: Hazards identification** 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 GHS08 health hazard Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. Carc. 2 H351 Suspected of causing cancer. STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure. GHS07 Acute Tox. 4 H332 Harmful if inhaled. Skin Irrit. 2 H315 Causes skin irritation. Eve Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

- EUG

according to 1907/2006/EC, Article 31

Printing date 09.02.2023

Version number 3 (replaces version 2)

Revision: 22.11.2021

Page 2/11

Trade name MARISEAL 300 Component B

(Contd. of page 1) 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms GHS07 GHS08 Signal word Danger Hazard-determining components of labelling: diphenylmethanediisocyanate, isomeres and homologues Hazard statements H332 Harmful if inhaled. H315 Causes skin irritation. H319 Causes serious eye irritation. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H317 May cause an allergic skin reaction. H351 Suspected of causing cancer. H335 May cause respiratory irritation. H373 May cause damage to organs through prolonged or repeated exposure. **Precautionary statements** Do not breathe dust/fume/gas/mist/vapours/spray. P260 P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Additional information: EUH204 Contains isocyanates. May produce an allergic reaction. As from 24 August 2023 adequate training is required before industrial or professional use. 2.3 Other hazards Results of PBT and vPvB assessment **PBT:** Does not contain PBT substances. **vPvB:** Does not contain vPvB substances.

SECTION 3: Composition/information on ingredients

3.1 Substances
 CAS No. Description
 CAS: 9016-87-9 diphenylmethanediisocyanate,isomeres and homologues
 Identification number(s):
 EC number: 618-498-9

(Contd. on page 3)

⁻ EUG

according to 1907/2006/EC, Article 31

Printing date 09.02.2023

Version number 3 (replaces version 2)

Trade name MARISEAL 300 Component B

(Contd. of page 2)

Specific concentration limits

Skin Irrit. 2; H315: $C \ge 5 \%$ Eye Irrit. 2; H319: $C \ge 5 \%$ Resp. Sens. 1; H334: $C \ge 0.1 \%$ STOT SE 3; H335: $C \ge 5 \%$ **SVHC** Void

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Take affected persons out into the fresh air. Immediately remove any clothing soiled by the product. Seek immediate medical advice

After inhalation

Supply fresh air and to be sure call for a doctor.

Seek medical treatment in case of complaints.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

After eye contact

Rinse opened eye for several minutes under running water. Rinse liquid should be tempered (20-30°C). Protect unharmed eye.

Seek immediate medical advice.

After swallowing

Drink plenty of water and provide fresh air. Call for a doctor immediately.

Do not induce vomiting; call for medical help immediately.

Seek immediate medical advice.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents CO2, powder or water spray. Fight larger fires with water spray. For safety reasons unsuitable extinguishing agents Water with full jet 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon monoxide (CO)

Carbon dioxide (CO2)

Nitrogen oxides (NOx)

Isocyanates

Hydrogen cyanide (HCN)

(Traces)

Exposure to degradation products can cause health damage.

(Contd. on page 4)



according to 1907/2006/EC, Article 31

Version number 3 (replaces version 2)

Revision: 22.11.2021

Printing date 09.02.2023

Marís Polymers

POLYUBETHANE SYSTEM

Trade name MARISEAL 300 Component B

(Contd. of page 3)

5.3 Advice for firefighters Protective equipment: Mouth respiratory protective device. Wear fully protective suit. Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Wear protective equipment. Keep unprotected persons away.

Avoid inhalation of vapors.

Wear protective clothing.

Keep away from ignition sources

6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.

6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Absorb liquid components with liquid-binding material.

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb with sawdust or other combustible absorbents.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Do not breath vapours. Keep away from heat and direct sunlight. Keep receptacles tightly sealed. **Information about fire - and explosion protection:** Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

7.2 Conditions for safe storage, including any incompatibilities
Storage
Requirements to be met by storerooms and receptacles:
Store in a cool location.
Prevent any seepage into the ground.
Provide ventilation for receptacles.
Information about storage in one common storage facility: Store away from foodstuffs.
Further information about storage conditions:
Keep container tightly sealed.
Store in cool, dry conditions in well sealed receptacles.

according to 1907/2006/EC, Article 31

Version number 3 (replaces version 2)

Trade name MARISEAL 300 Component B

(Contd. of page 4)

Protect from heat and direct sunlight.

Store under lock and key and with access restricted to technical

experts or their assistants only.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

CAS No. / Designation of material / % / Type / Value / Unit

CAS: 9016-87-9 diphenylmethanediisocyanate, isomeres and homologues

| | | | • |
|---------------|-------------------------------|-------------------------------------|--------------------------|
| AGW (Germany) | Long-term va 1;=2=(I);DFG | ilue: 0.05 E mg i, H, Sah, Y, 12 | /m³ |
| LEP (Spain) | Long-term va *vía dérmica, | llue: 0.05* mg/r Sen,*Propues | n³ ta de modificación |
| | | alue: 0.035 mg/ | |

8.2 Exposure controls

Appropriate engineering controls No further data; see item 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Immediately remove all soiled and contaminated clothing.

Store protective clothing separately.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation.

Only during spraying without adequate removal by suction.

In case of brief exposure or low pollution use respiratory filter device.

In case of intensive or longer exposure use self-contained respiratory protective device. Short term filter device:

Combination of charcoal filter and particulate filter A2-P2 (EN 529)

Hand protection

Protective gloves against chemicals (standard EN 374-1)

Due to missing tests no recommendation to the glove material can be given for the product/ the mixture/ the chemical mixture.

The glove material has to be impermeable and resistant to the product/ the substance/ the mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Butyl rubber, BR

(Contd. on page 6)

Printing date 09.02.2023

POLYURETHANE SYSTEMS

iviaris Polymer

according to 1907/2006/EC, Article 31

Version number 3 (replaces version 2)

Revision: 22.11.2021

Trade name MARISEAL 300 Component B

Printing date 09.02.2023

Maris Polymers

POLYUBETHANE SYSTEMS

(Contd. of page 5)

Fluorocarbon rubber (FKM-Viton)

Recommended thickness of the material: \geq 0.5 (BR); 0.4 (Viton) mm

Recommendation: contaminated gloves should be disposed of.

Penetration time of glove material

The determined breakthrough times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the breakthrough time, is recommended.

For the mixture of chemicals mentioned below the breakthrough time has to be at least 480 minutes (Permeation according to EN 16523-1:2015: Level 6).

Eye/face protection

Protective eyewear (standard EN 166) Tightly sealed goggles **Body protection:** Chemically resistant protective work clothing (EN 14605) Boots

SECTION 9: Physical and chemical properties

| | - |
|--|--|
| 9.1 Information on basic physical and chemical | properties |
| General Information | |
| Colour: | Light brown |
| Odour: | Characteristic |
| Odour threshold: | Not determined. |
| Melting point/freezing point: | Undetermined. |
| Boiling point or initial boiling point and boiling | |
| range | Undetermined. |
| Flammability | Not applicable. |
| Lower and upper explosion limit | |
| Lower: | Not determined. |
| Upper: | Not determined. |
| Flash point: | Not applicable |
| Ignition temperature: | Not determined. |
| Decomposition temperature: | Not determined. |
| рН | Not applicable. |
| Viscosity: | |
| Kinematic viscosity | Not determined. |
| dynamic: | Not determined. |
| Solubility | |
| Water: | Not miscible or difficult to mix |
| Partition coefficient n-octanol/water (log value) | Not determined. |
| Vapour pressure: | Not determined. |
| Density and/or relative density | |
| Density at 20 °C: | 1.23 g/cm ³ |
| Relative density | Not determined. |
| Bulk density: | Not applicable. |
| Vapour density | Not determined. |
| 9.2 Other information | No further relevant information available. |
| | (Contd. on page 7) |



according to 1907/2006/EC, Article 31

Printing date 09.02.2023

Version number 3 (replaces version 2)

Revision: 22.11.2021

Trade name MARISEAL 300 Component B

| | (Contd. of page |
|---|---|
| Appearance: | |
| Form: | Liquid |
| Important information on protection of he | alth |
| and environment, and on safety. | |
| Auto-ignition temperature: | Not determined. |
| Explosive properties: | Product is not explosive. However, formation of |
| | explosive air/vapour mixtures are possible. |
| Minimum ignition energy | |
| Solvent separation test: | Not determined |
| EU-VOC (g/L) | <5.0000 g/l |
| Change in condition | |
| Softening point/range | |
| Oxidising properties | Not considered as oxidising. |
| Evaporation rate | Not determined. |
| classes Explosives | Void |
| • | Vola Void |
| Flammable gases Aerosols | Void |
| Oxidising gases | Void |
| Gases under pressure | Void |
| Flammable liquids | Void |
| Flammable solids | Void |
| Self-reactive substances and mixtures | Void |
| Pyrophoric liquids | Void |
| Pyrophoric solids | Void |
| Self-heating substances and mixtures | Void |
| Substances and mixtures, which emit | |
| flammable gases in contact with water | Void |
| Oxidising liquids | Void |
| Oxidising solids | Void |
| Organic peroxides | Void |
| Corrosive to metals | Void |
| Desensitised explosives | Void |

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability Stable at recommended storage conditions

Thermal decomposition / Conditions to be avoided: Stable at environment temperature.

10.3 Possibility of hazardous reactions No dangerous reactions known

10.4 Conditions to avoid Avoid heat, sparkles, naked flame or other sources of ignition.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products:

Carbon monoxide and carbon dioxide Nitrogen oxides (NOx) Isocyanate

(Contd. on page 8)

[—] EUG –

according to 1907/2006/EC, Article 31

Printing date 09.02.2023 Version number 3 (replaces version 2)

Revision: 22.11.2021

Trade name MARISEAL 300 Component B

(Contd. of page 7)

Hydrogen cyanide (prussic acid)

SECTION 11: Toxicological information

| Acute toxicity Harmful if inha LD/LC50 value Components | led. | r classificatio Type / | on: Value | 1 | Species | |
|---|---|---|--|------|---|--------|
| Inhalative LC5 | 50/4 h 1.5 mg/ | l (Calculation) | | | | |
| CAS: 9016-87 | -9 diphenylme | thanediisocy | yanate,is | ome | res and homologues | |
| Oral LD5 | 50 >2,000 | mg/kg (Rat) | | | | |
| Dermal LD5 | 50 >10,000 |) mg/kg (Rabb | oit) | | | |
| Inhalative LC5 | 50/4 h 0.49 mg | g/I (Rat) | | | | |
| | s eye irritation. | | | | | |
| Respiratory o May cause alle May cause an Germ cell mut Carcinogenic Suspected of o Reproductive STOT-single o May cause res STOT-repeate May cause dar | r skin sensitie ergy or asthma allergic skin re tagenicity Base ity causing cancer toxicity Base exposure piratory irritation ed exposure mage to organizard Based or | sation symptoms or action. sed on availab d on available on. s through prole available dat | le data, th data, the onged or t | repe | iculties if inhaled. assification criteria are r ssification criteria are no sated exposure. cation criteria are not me | t met. |
| Respiratory o May cause alle May cause an Germ cell mut Carcinogenic Suspected of c Reproductive STOT-single o May cause res STOT-repeate May cause dan Aspiration has | r skin sensitie ergy or asthma allergic skin re tagenicity Base ity causing cancer toxicity Base exposure piratory irritation ed exposure mage to organizard Based or | sation symptoms or action. sed on availab d on available on. s through prole available dat | le data, th data, the onged or t | repe | assification criteria are r ssification criteria are no pated exposure. | t met. |

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: Not classified as harmful to aquatic life

Type of test / Effective concentration / Method / Assessment

CAS: 9016-87-9 diphenylmethanediisocyanate, isomeres and homologues

LC0/96h >1,000 mg/l (Fish)

EC50/24h >1,000 mg/l (Daphnia magna)

12.2 Persistence and degradability The product is not biodegradable.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

(Contd. on page 9)

⁻ EUG ·

according to 1907/2006/EC, Article 31

Version number 3 (replaces version 2)

Revision: 22.11.2021

Trade name MARISEAL 300 Component B

•

(Contd. of page 8)

12.5 Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Additional ecological information:

General notes: Do not allow product to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Dispose of the product in accordance with national and local regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

European waste catalogue

| 08 04 09* | waste adhesives and sealants containing organic solvents or other hazardous substances |
|-----------|--|
| HP4 | Irritant - skin irritation and eye damage |
| HP5 | Specific Target Organ Toxicity (STOT)/Aspiration Toxicity |
| HP7 | Carcinogenic |
| HP13 | Sensitising |

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

| 14.1 UN number or ID number ADR, ADN, IMDG, IATA | Void | |
|---|----------------------------------|--------------------|
| 14.2 UN proper shipping name ADR, ADN, IMDG, IATA | Void | |
| 14.3 Transport hazard class(es) | | |
| ADR, ADN, IMDG, IATA Class | Void | |
| 14.4 Packing group ADR, IMDG, IATA | Void | |
| 14.5 Environmental hazards: | Not applicable. | |
| 14.6 Special precautions for user | Not applicable. | |
| 14.7 Maritime transport in bulk accordin IMO instruments | n g to Not applicable. | |
| | | (Contd. on page 10 |



Printing date 09.02.2023

according to 1907/2006/EC, Article 31

Version number 3 (replaces version 2)

Void

Revision: 22.11.2021

Trade name MARISEAL 300 Component B

(Contd. of page 9)

UN "Model Regulation":

Printing date 09.02.2023

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII)

Regulation (EC) No 1272/2008 (CLP) Regulation (EU) 2020/878 (amending REACH Annex II on the compilation of safety data sheets) Directive 2004/42/CE (VOC), cf. section 9

Labelling according to Regulation (EC) No 1272/2008 cf. section 2

Directive 2012/18/EU Named dangerous substances - ANNEX I Substance is not listed. REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3,74

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

Substance is not listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

Substance is not listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

Substance is not listed.

Regulation (EC) No 273/2004 on drug precursors

Substance is not listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

Substance is not listed.

National regulations

Other regulations, limitations and prohibitive regulations

BG-Merkblätter: M 044 "Polyurethane production/Isocyanates"

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS: SUSTCHEM S.A Contact: SUSTCHEM S.A. REACH & Chemical Services Department A: 144, 3rd Septemvriou, GR 112 51 | Athens, Greece

(Contd. on page 11)

⁻ EUG



Safety Data Sheet according to 1907/2006/EC, Article 31

Version number 3 (replaces version 2)

Revision: 22.11.2021

Trade name MARISEAL 300 Component B

Printing date 09.02.2023

| (Contra of normality) |
|--|
| (Contd. of page 10 T: +30 210 8252510 F: +30 210 8252575 |
| W: www.sustchem.gr E: info@suschem.gr |
| |
| Date of previous version: 28.07.2021 |
| Version number of previous version: 2 |
| Abbreviations and acronyms: |
| ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning th |
| International Carriage of Dangerous Goods by Road) |
| IMDG: International Maritime Code for Dangerous Goods |
| IATA: International Air Transport Association |
| IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organisation |
| GHS: Globally Harmonised System of Classification and Labelling of Chemicals |
| EINECS: European Inventory of Existing Commercial Chemical Substances |
| CAS: Chemical Abstracts Service (division of the American Chemical Society) |
| LC50: Lethal concentration, 50 percent |
| LD50: Lethal dose, 50 percent |
| PBT: Persistent, Bioaccumulative and Toxic |
| SVHC: Substances of Very High Concern (REACH regulation) |
| vPvB: very Persistent and very Bioaccumulative |
| Acute Tox. 4: Acute toxicity – Category 4 |
| Skin Irrit. 2: Skin corrosion/irritation – Category 2 |
| Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Resp. Sens. 1: Respiratory sensitisation – Category 1 |
| Skin Sens. 1: Skin sensitisation – Category 1 |
| Carc. 2: Carcinogenicity – Category 2 |
| STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 |
| STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2 |
| * Data compared to the previous version altered. |
| According to Annex II of the REACH regulation, the modified sections in this version of the Safety Dat |
| Sheet in comparison with the previous one are marked with asterisks. |
| |

